


Super Chromo White Back



Top Coating With Blade

Pre Coating

Top Liner (Recycled White Pulp)

Under Liner (Recycled White Pulp)

Fillers (Recycled Grey Pulp)

Under Liner (Recycled White Pulp)

Top Liner (Recycled White Pulp)

Bottom Coating

Applications

- High Value Consumer Packaging
- Pharmaceutical Cartons
- Advertising Pamphlets / Dangers
- Cartons with backside printing

Recommended for Multi-Colour Printing

- Letterpress
- Offset
- Gravure

Moisture Content

- 7.5% $\pm$ 10%

PPS (Microns)

3 $\pm$ 0.5

Brightness

79 $\pm$ 1 %

Gloss (75°)

45 $\pm$ 5 %

Polybond (Scott)

> 60

IGT Drypick

> 0.7 m/sec

Substance (gm/m ²)	Stiffness (Taber) (gm/cm)		Caliper (microns)	Bulk (cc/gm)
	MD	CD		

260	65	30	294	1.13
285	85	40	322	1.13
295	100	45	333	1.13
320	115	55	368	1.15
360	155	70	414	1.15
400	220	100	460	1.15
450	270	125	531	1.18
500	330	150	600	1.20
Tolerance				
±5%	±10%	±5%	±5%	